

Reference List – Table 4

1. Brown LJ, Wall TP, Lazar V. Trends in untreated caries in primary teeth of children 2 to 10 years old. *J Am Dent Assoc* 2000;131:92-100.
2. Burt BA, Keels MA, Heller KE. The effects of a break in water fluoridation on the development of dental caries and fluorosis. *J Dent Res* 2000;79:761-769.
3. Angulo M, Cabanas B, Camporeale N, Emilson CG. Dental caries and caries-associated microorganisms in Uruguayan preschool children. *Acta Odontol Scand* 1999;57:301-5.
4. Jones CM, Worthington H. The relationship between water fluoridation and socioeconomic deprivation on tooth decay in 5-year-old children. *Br Dent J* 1999;186:397-400.
5. Kaste LM, Drury TF, Horowitz AM, Beltran E. An evaluation of NHANES III estimates of early childhood caries. *J Public Health Dent* 1999;59:198-200.
6. Moss ME, Lanphear BP, Auinger P. Association of dental caries and blood lead levels. *J Am Dent Assoc* 1999;281:2294-2298.
7. Sweeney PC, Nugent Z, Pitts NB. Deprivation and dental caries status of 5-year-old children in Scotland. *Community Dent Oral Epidemiol* 1999;27:152-9.
8. Tickle M, Williams M, Jenner T, Blinkhorn A. The effects of socioeconomic status and dental attendance on dental caries' experience, and treatment patterns in 5-year-old children. *Br Dent J* 1999;186:135-7.
9. Ye W, Feng XP, Liu YL. Epidemiological study of the risk factors of rampant caries in Shanghai children. *Chinese J Dent Res* 1999;2:58-62.
10. Al-Hosani E, Rugg-Gunn A. Combination of low parental educational attainment and high parental income related to high caries experience in pre-school children in Abu Dhabi. *Community Dent Oral Epidemiol* 1998;26:31-6.
11. Khan MN, Cleaton-Jones PE. Dental caries in African preschool children: social factors as disease markers. *J Public Health Dent* 1998;58:7-11.
12. Vargas CM, Crall JJ, Schneider DA. Sociodemographic distribution of pediatric dental caries: NHANES III, 1998-1994. *J Am Dent Assoc* 1998;129:1229-1238.
13. al-Mohammadi SM, Rugg-Gunn AJ, Butler TJ. Caries prevalence in boys aged 2, 4 and 6 years according to socio-economic status in Riyadh, Saudi Arabia. *Community Dent Oral Epidemiol* 1997;25:184-6.
14. Bolin AK. Children's dental health in Europe. An epidemiological investigation of 5- and 12-year-old children from eight EU countries. *Swed Dent J* 1997;122:1-88.
15. Jones C, Taylor G, Woods K, Whittle G, Evans D, Young P. Jarman underprivileged area scores, tooth decay and the effect of water fluoridation. *Community Dent Health* 1997;14:156-60.
16. Jones CM, Taylor GO, Whittle JG, Evans D, Trotter DP. Water fluoridation, tooth decay in 5 year olds, and social deprivation measured by the Jarman score: analysis of data from British dental surveys. *BMJ* 1997;315:514-7.
17. Jones CM, Woods K, Taylor GO. Social deprivation and tooth decay in Scottish schoolchildren. *Health Bull* 1997;55:11-5.
18. Prendergast, M. J., Beal, J. F., and Williams, S. A. The relationship between deprivation, ethnicity and dental health in 5-year-old children in Leeds, UK. *Community Dent Health* 1997;14:18-21.
19. Robison VA, Rozier RG, Weintraub JA. Dental caries and treatment need in schoolchildren related to Medicaid environment. *J Public Health Dent* 1997;57:163-170.
20. Tang JMW, Altman DS, Robertson DC, O'Sullivan DM, Douglass JM, Tinanoff N. Dental Caries Prevalence and Treatment Levels in Arizona Preschool Children. *Public Health Rep* 1997;112:319-29.
21. Evans DJ, Rugg-Gunn AJ, Tabari ED, Butler T. The effect of fluoridation and social class on caries experience in 5-year-old Newcastle children in 1994 compared with results over the previous 18 years. *Community Dent Health* 1996;13:5-10.
22. Freire M do C, de Melo RB, Almeida e Silva S. Dental caries prevalence in relation to socioeconomic status of nursery school children in Goiania-GO, Brazil. *Community Dent Oral Epidemiol* 1996;24:357-61.
23. Li Y, Navia JM, Bian JY. Caries experience in deciduous dentition of rural Chinese children 3-5 years old in relation to the presence or absence of enamel hypoplasia. *Caries Res* 1996;30:8-15.
24. Slade GD, Spencer AJ, Davies MJ, Stewart JF. Caries experience among children in fluoridated Townsville and unfluoridated Brisbane. *Aust N Z J Public Health* 1996;20:623-9.
25. Slade GD, Spencer AJ, Davies MJ, Stewart JF. Influence of exposure to fluoridated water on socioeconomic inequalities in children's caries experience. *Community Dent Oral Epidemiol* 1996;24:89-100.
26. Greene P, Chisick MC. Child abuse/neglect and the oral health of children's primary dentition. *Mil Med*

- 1995;160:290-3
27. Jones SG, Nunn JH. The dental health of 3-year-old children in east Cumbria 1993. *Community Dent Health* 1995;12:161-6.
 28. Provat SJ, Carmichael CL. The relationship between caries, fluoridation and material deprivation in five-year-old children in Country Durham. *Community Dent Health* 1995;12:200-3.
 29. Roeters J, Burgersdijk R, Truin GJ, van't Hof M. Dental caries and its determinants in 2-to-5-year-old children. *ASDC J Dent Child* 1995;62:401-8.
 30. Schou L, Uitenbroek D. Social and behavioural indicators of caries experience in 5-year-old children. *Community Dent Oral Epidemiol* 1995;23:276-81.
 31. Slade GD, Davies MJ, Spencer AJ, Stewart JF. Associations between exposure to fluoridated drinking water and dental caries experience among children in two Australian states. *J Public Health Dent* 1995;55:218-28.
 32. Wyne AH, Adenubi JO, Shalan T, Khan N. Feeding and socioeconomic characteristics of nursing caries children in a Saudi population. *Pediatr Dent* 1995;17:451-4.
 33. Nadanovsky P, Sheiham A. The relative contribution of dental services to the changes and geographical variations in caries status of 5- and 12-year-old children in England and Wales in the 1980s. *Community Dent Health* 1994;11:215-23.
 34. Elley KM, Langford JW. The use of a classification of residential neighbourhoods (ACORN) to demonstrate differences in dental health of children resident within the south Birmingham health district and of different socio-economic backgrounds. *Community Dent Health* 1993;10:131-8.
 35. Grindefjord M, Dahllof G, Ekstrom G, Hojer B, Modeer T. Caries prevalence in 2.5-year-old children. *Caries Res* 1993;27:505-10.
 36. Masiga MA, Holt RD. The prevalence of dental caries and gingivitis and their relationship to social class amongst nursery-school children in Nairobi, Kenya. *Int J Paediatr Dent* 1993;3:135-40.
 37. Eronat N, Eden E. A comparative study of some influencing factors of rampant or nursing caries in preschool children. *J Clin Pediatr Dent* 1992;16:275-9.
 38. Kalsbeek H, Verrips E, Dirks OB. Use of fluoride tablets and effect on prevalence of dental caries and dental fluorosis. *Community Dent Oral Epidemiol* 1992;20:241-5.
 39. Thomas JF, Startup R. Some social correlates with the dental health of young children. *Community Dent Health* 1992;9:11-7.
 40. Treasure ET, Dever JG. The prevalence of caries in 5-year-old children living in fluoridated and non-fluoridated communities in New Zealand. *N Z Dent J* 1992;88:9-13.
 41. Holan G, Iyad N, Chosack A. Dental caries experience of 5-year-old children related to their parents' education levels: a study in an Arab community in Israel. *Int J Paediatr Dent* 1991;1:83-7.
 42. Kerosuo H, Honkala E. Caries experience in the primary dentition of Tanzanian and Finnish 3-7-year-old children. *Community Dent Oral Epidemiol* 1991;19:272-6.
 43. Truin GJ, Konig KG, de Vries HC, Mulder J, Plasschaert AJ. Trends in caries prevalence in 5-, 7- and 11-year-old schoolchildren in The Hague between 1969 and 1989. *Caries Res* 1991;25:462-7.
 44. Attwood D, Blinkhorn AS, MacMillan AS. A comparison of the dental health of 5-year-old children from Glasgow, Scotland, in 1984 and 1987. *J Intl Assoc Dent Child* 1990;20:50-3.
 45. Chosack A, Cleaton-Jones P, Matejka J, Fatti P. Social class, parents' education and dental caries in 3- to 5-year-old children. *J Dent Assoc S Afr* 1990;45:5-7.
 46. Urquhart AP, Blinkhorn AS. The dental health of children with congenital heart disease. *Scott Med J* 1990;35:166-168.

Reference List – Table 5

1. Brown LJ, Wall TP, Lazar V. Trends in untreated caries in primary teeth of children 2 to 10 years old. *J Am Dent Assoc* 2000;131:92-100.
2. Brown LJ, Wall TP, Lazar V. Trends in total caries experience: permanent and primary teeth. *J Am Dent Assoc* 2000;131:223-31.
3. Burt BA, Keels MA, Heller KE. The effects of a break in water fluoridation on the development of dental caries and fluorosis. *J Dent Res* 2000;79:761-769.
4. Brown LJ, Wall TP, Lazar V. Trends in untreated caries in permanent teeth of children 6 to 18 years old. *J Am Dent Assoc* 1999;130:1637-44.
5. Faggiano F, Di Stanislao F, Lemma P, Renga G. Role of social class in caries occurrence in 12 year olds in Turin, Italy. *Eur J Public Health* 1999;9:109-113.
6. Gaughwin A, Spencer AJ, Brennan DS, Moss J. Oral health of children in South Australia by socio-demographic characteristics and choice of provider. *Community Dent Oral Epidemiol* 1999;27:93-102.
7. Irigoyen ME, Maupome G, Mejia AM. Caries experience and treatment needs in a 6- to 12-year-old urban population in relation to socio-economic status. *Community Dent Health* 1999;16:245-249.
8. Moss ME, Lanphear BP, Auinger P. Association of dental caries and blood lead levels. *J Am Dent Assoc* 1999;281:2294-2298.
9. el-Nadeef MA, Adegbenbo AO, Honkala E. The association of urbanisation with the prevalence of dental caries among schoolchildren in Nigeria new capital territory. *Int Dent J* 1998;48:44-9.
10. Ismail AI, Messer JG, Hornett PJ. Prevalence of dental caries and fluorosis in seven- to 12-year-old children in northern Newfoundland and Forteau, Labrador. *J Can Dent Assoc* 1998;64:118-24.
11. Kumar JV, Swango PA, Liniger LL, Leske GS, Green EL, Haley VB. Changes in dental fluorosis and dental caries in Newburgh and Kingston, New York. *Am J Public Health* 1998;88:1866-70.
12. Truin, G. J., Konig, K. G., Bronkhorst, E. M., Frankenmolen, F., Mulder, J., and van't Hof, M. A. Time trends in caries experience of 6- and 12-year-old children of different socioeconomic status in The Hague. *Caries Res* 1998;32:1-4.
13. Vargas CM, Crall JJ, Schneider DA. Sociodemographic distribution of pediatric dental caries: NHANES III, 1998-1994. *J Am Dent Assoc* 1998;129:1229-1238.
14. Waplington, J. A., White, D. A., and Clarke, J. R. A comparison of the social backgrounds and dental health of patients attending the Community Dental Service, the General Dental Service and non registered patients. *Community Dent Health* 1998;15:93-6.
15. du Plessis JB. The effect of socio-economic status on dental caries experience in 6, 12 and 15 year-old school children in Port Elizabeth and Despatch. *J Dent Assoc S Afr* 1997;52:483-6.
16. Robison VA, Rozier RG, Weintraub JA. Dental caries and treatment need in schoolchildren related to Medicaid environment. *J Public Health Dent* 1997;57:163-170.
17. Micheelis, W. and Bauch, J. Oral health of representative samples of Germans examined in 1989 and 1992. *Community Dent Oral Epidemiol* 1996;24:62-7.
18. Villa, A. E. and Guerrero, S. Caries experience and fluorosis prevalence in Chilean children from different socio-economic status. *Community Dent Oral Epidemiol* 1996;24:225-7.
19. Woodward GL, Leake JL, Main PA. Oral health and family characteristics of children attending private or public dental clinics. *Community Dent Oral Epidemiol* 1996;24:253-259.
20. Amstutz RD, Rozier RG. Community risk indicators for dental caries in schoolchildren: an ecologic study. *Community Dent Oral Epidemiol* 1995;23:129-137.
21. Angulo M, Zinemanas E, Pivel L, Jorysz E, Casamayou R, Krasse B. Caries incidence, effect of preventive measures, and caries prediction in Uruguayan children. *Acta Odontol Scand* 1995;53:1-6.
22. Angulo M, Pivel L, Zinemanas E, Jorysz E, Krasse B. Dental caries and microbial and salivary conditions in Uruguayan children from two different socioeconomic areas. *Acta Odontol Scand* 1994;52:377-83.
23. Cleaton-Jones P, Chosack A, Hargreaves JA, Fatti LP. Dental caries and social factors in 12-year-old South African children. *Community Dent Oral Epidemiol* 1994;22:25-9.
24. Nadanovsky P, Sheiham A. The relative contribution of dental services to the changes and geographical variations in caries status of 5- and 12-year-old children in England and Wales in the 1980s. *Community Dent Health* 1994;11:215-23.
25. Rizk SP, Christen AG. Falling between the cracks: oral health survey of school children ages five to thirteen having limited access to dental services. *ASDC J Dent Child* 1994;61:356-360.

26. Salas-Wadge, M. H. Dental caries experience in 7-, 12- and 14-year-old children in Andalusia, Spain. *Community Dent Health* 1994;11:135-41.
27. Evans RW, Lo EC, Darvell BW. Determinants of variation in dental caries experience in primary teeth of Hong Kong children aged 6-8 years. *Community Dent Oral Epidemiol* 1993;21:1-3.
28. Hamdan MA, Rock WP. Dental caries experience in Jordanian and English schoolchildren. *Community Dent Health* 1993;10:151-7.
29. Beck JD, Weintraub JA, Disney JA, et al. University of North Carolina Caries Risk Assessment Study: comparisons of high risk prediction, any risk prediction, and any risk etiologic models. *Community Dent Oral Epidemiol* 1992;20:313-21.
30. Disney JA, Graves RC, Stamm JW, Bohannon HM, Abernathy LR, Zack DD. The University of North Carolina Caries Risk Assessment study: further development in caries risk prediction. *Community Dent Oral Epidemiol* 1992;20:64-75.
31. Eronat N, Eden E. A comparative study of some influencing factors of rampant or nursing caries in preschool children. *J Clin Pediatr Dent* 1992;16:275-9.
32. Witt, M. C. Pattern of caries experience in a 12-year-old Brazilian population related to socioeconomic background. *Acta Odontol Scand* 1992;50:25-30.
33. Baccush MM, Nayak CS. Prevalence of dental caries in school children from a suburban area in Tripoli, Libya. *Acta Stomatol Croat* 1991;25:11-5.
34. Kumar J, Green E, Wallace W, Bustard R. Changes in dental caries prevalence in upstate New York schoolchildren. *J Public Health Dent* 1991;51:158-63.
35. Ripa LW, Leske GS, Kaufman HW. Caries prevalence, treatment level, and sealant use related to school lunch program participation. *J Public Health Dent* 1991;51:78-81.
36. al-Khateeb TL, Darwish SK, Bastawi AE, O'Mullane DM. Dental caries in children residing in communities in Saudi Arabia with differing levels of natural fluoride in the drinking water. *Community Dent Health* 1990;7:165-71.
37. Arvidson-Bufano UB, Holm AK. Dental health in urban and rural areas of central and western Bangladesh. *Odontostomatol Trop* 1990;13:81-6.
38. Attwood D, Blinkhorn AS, MacMillan AS. A three year follow up study of the dental health of 12- and 15-year-old schoolchildren in Glasgow. *Community Dent Health* 1990;7:143-8.
39. Attwood D, Salapata J, Blinkhorn AS. Comparison of the dental health of 12-year-old schoolchildren living in Athens and Glasgow. *Int Dent J* 1990;40:117-21.
40. Brown LP, Mulqueen TF, Storey E. The effect of fluoride consumption and social class on dental caries in 8-year-old children. *Aust Dent J* 1990;35:61-8.
41. de Vries HC, Luckner TP, Cremers SB, Katan MB. Food choice and caries experience in Dutch teenagers as a function of the level of education of their parents. *Eur J Clin Nutr* 1990;44:839-46.
42. Disney JA, Graves RC, Stamm JW, Bohannon HM, Abernathy LR. The University of North Carolina Caries Risk Assessment study. II. Baseline caries prevalence. *J Public Health Dent* 1990;50:178-185.
43. Dummer PM, Oliver SJ, Hicks R, Kindon A, Addy M, Shaw W. Factors influencing the initiation of carious lesions in specific tooth surfaces over a 4-year period in children between the ages of 11-12 years and 15-16 years. *J Dent* 1990;18:190-7.
44. Stockwell AJ, Medcalf GW, Rutledge GJ, Holman CD, Roberts M. Dental caries experience in schoolchildren in fluoridated and non-fluoridated communities in Western Australia. *Community Dent Oral Epidemiol* 1990;18:184-9.
45. Urquhart AP, Blinkhorn AS. The dental health of children with congenital heart disease. *Scott Med J* 1990;35:166-168.

Reference List – Table 6

1. Brown LJ, Wall TP, Lazar V. Trends in untreated caries in permanent teeth of children 6 to 18 years old. *J Am Dent Assoc* 1999;130:1637-44.
2. Moss ME, Lanphear BP, Auinger P. Association of dental caries and blood lead levels. *J Am Dent Assoc* 1999;281:2294-2298
3. Swedberg Y, Noren JG. A time-series analysis of caries status among adolescents in relation to socioeconomic variables in Goteborg, Sweden. *Acta Odontol Scand* 1999;57:28-34.
4. Kinirons MJ, Stewart C. Factors affecting levels of untreated caries in a sample of 14-15-year-old adolescents in Northern Ireland. *Community Dent Oral Epidemiol* 1998;26:7-11.
5. Kumar JV, Swango PA, Liniger LL, Leske GS, Green EL, Haley VB. Changes in dental fluorosis and dental caries in Newburgh and Kingston, New York. *Am J Public Health* 1998;88:1866-70.
6. Vargas CM, Crall JJ, Schneider DA. Sociodemographic distribution of pediatric dental caries: NHANES III, 1998-1994. *J Am Dent Assoc* 1998;129:1229-1238.
7. Miura H, Araki Y, Haraguchi K, Arai Y, Umenai T. Socioeconomic factors and dental caries in developing countries: a cross-national study. *Soc Sci Med* 1997;44:269-272.
8. Robison VA, Rozier RG, Weintraub JA. Dental caries and treatment need in schoolchildren related to Medicaid environment. *J Public Health Dent* 1997;57:163-170.
9. Taani DS. Dental health of 13-14-year-old Jordanian school children and its relationship with socio-economic status. *Int J Paediatr Dent* 1996;6:183-6.
10. Ellwood RP, O'Mullane DM. The association between area deprivation and dental caries in groups with and without fluoride in their drinking water. *Community Dent Health* 1995;12:18-22.
11. Fashing GK, Fashing NJ. The dental needs of high school students in Newport News, Virginia: a pilot study. *Va Dent J* 1993;70:32-43.
12. Rahmatulla M, Wyne AH. Relationship between caries, water fluoride level and socioeconomic class in 15-year-old Indian school children. *Indian J Dent Res* 1993;4:17-20.
13. Murray JJ, Breckon JA, Reynolds PJ, Tabari ED, Nunn JH. The effect of residence and social class on dental caries experience in 15-16-year-old children living in three towns (natural fluoride, adjusted fluoride and low fluoride) in the north east of England. *Br Dent J* 1991;171:319-22.
14. de Vries HC, Lucker TP, Cremers SB, Katan MB. Food choice and caries experience in Dutch teenagers as a function of the level of education of their parents. *Eur J Clin Nutr* 1990;44:839-46.
15. Dummer PM, Oliver SJ, Hicks R, Kindon A, Addy M, Shaw W. Factors influencing the initiation of carious lesions in specific tooth surfaces over a 4-year period in children between the ages of 11-12 years and 15-16 years. *J Dent* 1990;18:190-7.

Reference List –Table 7

1. Drury TF, Garcia I, Adesanya M. Socioeconomic disparities in adult oral health in the United States. *Ann N Y Acad Sci* 1999;896:322-324.
2. Hahn P, Reinhardt D, Schaller HG, Hellwig E. Root lesions in a group of 50-60 year-old Germans related to clinical and social factors. *Clin Oral Investig* 1999;99:168-74.
3. Schuller, A. A. Better oral health, more inequality--empirical analysis among young adults. *Community Dent Health* 1999;16:154-9.
4. Sgan-Cohen HD, Horev T, Zusman SP, Katz J, Eldad A. The prevalence and treatment of dental caries among Israeli permanent force military personnel. *Mil Med* 1999;164:562-565.
5. Unell, L., Soderfeldt, B., Halling, A., and Birkhed, D. Explanatory models for clinically determined and symptom-reported caries indicators in an adult population. *Acta Odontol Scand* 1999;57:132-8.
6. Benigeri M, Payette M, Brodeur JM. Comparison between the DMF indices and two alternative composite indicators of dental health. *Community Dent Oral Epidemiol* 1998;26:303-9.
7. Schoenberg NE, Gilbert GH. Dietary implications of oral health decrements among African-American and white older adults. *Ethn Health* 1998;3:59-70.
8. Hescot P, Bourgeois D, Doury J. Oral health in 35-44 year old adults in France. *Int Dent J* 1997;47:94
9. Marcus M, Reifel NM, Nakazono TT. Clinical measures and treatment needs. *Adv Dent Res* 1997;11:263-271.
10. Miura H, Araki Y, Haraguchi K, Arai Y, Umenai T. Socioeconomic factors and dental caries in developing countries: a cross-national study. *Soc Sci Med* 1997;44:269-272.
11. Alvarez-Arenal A, Alvarez-Riesgo JA, Pena Lopez JM, Fernandez Vazquez JP, Villa Vigil MA. DMFT and treatment needs in adult population of Oviedo, Spain. *Community Dent Oral Epidemiol* 1996;24:17-20
12. Berset GP, Eriksen HM, Bjertness E, Hansen BF. Caries experience of 35-year-old Oslo residents and changes over a 20-year period. *Community Dent Health* 1996;13:238-44.
13. Eriksen HM, Marques MD, Bjertness E, Moe B. Dental caries determinants in an adult Portuguese population and a comparison with Norwegian adults. *Acta Odontol Scand* 1996;54:49-54.
14. Gilbert GH, Antonson DE, Mjor IA, et al. Coronal caries, root fragments, and restoration and cusp fractures in U.S. adults. *Caries Res* 1996;30:101-111.
15. Hede B. Determinants of oral health in a group of Danish alcoholics. *Eur J Oral Sci* 1996;104:403-8.
16. Ringelberg ML, Gilbert GH, Antonson DE, Dolan TA, Legler DW, Foerster U. Root caries and root defects in urban and rural adults: the Florida Dental care study. *J Am Dent Assoc* 1996;127:885-891.
17. Marques, M. D., Bjertness, E., and Eriksen, H. M. Caries prevalence of young adults in Oslo, Norway, and Porto, Portugal. A comparative analysis. *Acta Odontol Scand* 1994;52:111-5.
18. Locker D, Leake JL. Coronal and root decay experience in older adults in Ontario, Canada. *J Public Health Dent* 1993;53:158-64.
19. Stahl JW, Katz RV. Occlusal Dental Incidence and Implications for Sealant Programs in a US College Student Population. *J Public Health Dent* 1993;53:212-218.
20. Turunen, S., Nyyssonen, V., and Vesala, H. Perspectives on poor dental health and its determinants. *Community Dent Health* 1993;10:49-55.
21. Locker D, Leake JL. Income inequalities in oral health among older adults in four Ontario communities. *Can J Public Health* 1992;83:150-154.
22. Marcenes WS, Sheiham A. The relationship between work stress and oral health status. *Soc Sci Med* 1992;35:1511-1520.
23. Strubig W, Depping M. Coronal caries and restorations in an elderly population in Germany. *Community Dent Oral Epidemiol* 1992;20:235-8.
24. Ismail AI, Szpunar SM. The prevalence of total tooth loss, dental caries, and periodontal disease among Mexican Americans, Cuban Americans, and Puerto Ricans: findings from HHANES 1982-1984. *Am J Public Health* 1990;80 Suppl:66-70.

Reference List –Table 8

1. Schoenberg NE, Gilbert GH. Dietary implications of oral health decrements among African-American and white older adults. *Ethn Health* 1998;3:59-70.
2. Hawkins RJ, Jutai DK, Brothwell DJ, Locker D. Three-year coronal caries incidence in older Caucasian adults. *Caries Res* 1997;31:405-410.
3. Marcus M, Reifel NM, Nakazono TT. Clinical measures and treatment needs. *Adv Dent Res* 1997;11:263-271.
4. Gilbert GH, Antonson DE, Mjor IA, et al. Coronal caries, root fragments, and restoration and cusp fractures in U.S. adults. *Caries Res* 1996;30:101-111.
5. Loh T, Chan J, Low CN. Oral health of Singapore adults. *Singapore Dent J* 1996;21:6-10.
6. Ringelberg ML, Gilbert GH, Antonson DE, Dolan TA, Legler DW, Foerster U. Root caries and root defects in urban and rural adults: the Florida Dental care study. *J Am Dent Assoc* 1996;127:885-891.
7. Williams SA, Summers RM, Ahmed IA, Prendergast MJ. Caries experience, tooth loss and oral health-related behaviours among Bangladeshi women resident in West Yorkshire, UK. *Community Dent Health* 1996;13:150-6.
8. Wisloff TF, Vassend O, Asmyhr O. Dental anxiety, utilisation of dental services, and DMFS status in Norwegian military recruits. *Community Dent Health* 1995;12:100-3.
9. Drake CW, Hunt RJ, Beck JD, Koch GG. Eighteen-month coronal caries incidence in North Carolina older adults. *J Public Health Dent* 1994;54:24-30.
10. Drake CW, Beck JD. The oral status of elderly removable partial denture wearers. *J Oral Rehabil* 1993;20:53-60.
11. Jette AM, Feldman HA, Douglass C. Oral disease and physical disability in community-dwelling older persons. *J Am Geriatric Soc* 1993;41:1102-8.
12. Drake CW, Beck JD. Models for coronal caries and root fragments in an elderly population. *Caries Res* 1992;26:402-407.
13. Locker D, Leake JL. Income inequalities in oral health among older adults in four Ontario communities. *Can J Public Health* 1992;83:150-154.
14. Ismail AI, Szpunar SM. The prevalence of total tooth loss, dental caries, and periodontal disease among Mexican Americans, Cuban Americans, and Puerto Ricans: findings from HHANES 1982-1984. *Am J Public Health* 1990;80 Suppl:66-70.

Reference List – Table 9

1. Flinck A, Kallestal C, Holm AK, Allebeck P, Wall S. Distribution of caries in 12-year-old children in Sweden. Social and oral health-related behavioral patterns. *Community Dent Health* 1999;16:160-165.
2. Gizani S, Vinckier F, Declerck D. Caries pattern and oral health habits in 2- to 6-year-old children exhibiting differing levels of caries. *Clin Oral Investig* 1999;3:35-40.
3. Kuriakose S, Joseph E. Caries prevalence and its relation to socio-economic status and oral hygiene practices in 600 preschool children of Kerala-India. *J Indian Soc Pedod Prev Dent* 1999;17:97-100.
4. Mascarenhas AK. Determinants of caries prevalence and severity in higher SES Indian children. *Community Dent Health* 1999;16:107-13.
5. Seow WK, Amaratunge A, Sim R, Wan A. Prevalence of caries in urban Australian aborigines aged 1-3.5 years. *Pediatr Dent* 1999;21:91-6.
6. Watson MR, Horowitz AM, Garcia I, Canto MT. Caries conditions among 2-5-year-old immigrant Latino children related to parents' oral health knowledge, opinions and practices. *Community Dent Oral Epidemiol* 1999;27:8-15.
7. al Ghanim NA, Adenubi JO, Wyne AA, Khan NB. Caries prediction model in pre-school children in Riyadh, Saudi Arabia. *Int J Paediatr Dent* 1998;8:115-22.
8. Angelillo IF, Anfoso R, Nobile CG, Pavia M. Prevalence of dental caries in schoolchildren in Italy. *Eur J Epidemiol* 1998;14:351-7.
9. Chestnut IG, Schafer F, Jacobsen AP, Stephen KW. The influence of toothbrushing frequency and post-brushing rinsing on caries experience in a caries clinical trial. *Community Dent Oral Epidemiol* 1998;26:406-11.
10. Mascarenhas AK. Oral hygiene as a risk indicator of enamel and dentin caries. *Community Dent Oral Epidemiol* 1998;26:331-339.
11. Mattila ML, Paunio P, Rautava P, Ojanlatva A, Sillanpaa M. Changes in dental health habits from 3 to 5 years of age. *J Public Health Dent* 1998;58:270-4.
12. Petersen PE, Mzee MO. Oral health profile of schoolchildren, mothers and schoolteachers in Zanzibar. *Community Dent Health* 1998;15:256-262.
13. Venugopal T, Kulkarni VS, Nerurker RA, Damle SG, Patnekar PN. Epidemiological study of dental caries. *Indian J Pediatr* 1998;65:883-9.
14. Eronat N, Koparal E. Dental caries prevalence, dietary habits, tooth-brushing, and mother's education in 500 urban Turkish children. *J Marmara Univ Dent Fac* 1997;2:599-604.
15. Haugejorden O, Nord A, Klock KS. Direct evidence concerning the 'major role' of fluoride dentifrices in the caries decline. A 6-year analytical cohort study. *Acta Odontol Scand* 1997;55:173-80.
16. Kwon HK, Suh I, Kim YO, et al. Relationship between nutritional intake and dental caries experience of junior high students. *Yonsei Med J* 1997;38:101-10.
17. Peng B, Petersen PE, Fan MW, Tai BJ. Oral health status and oral health behaviour of 12-year-old urban schoolchildren in the People's Republic of China. *Community Dent Health* 1997;14:238-44.
18. Petti S, Tarsitani G, Panfilì P, Simonetti D'Arca A. Oral Hygiene, sucrose consumption and dental caries prevalence in adolescent systemic fluoride non-users. *Community Dent & Oral Epidemiol* 1997;25:334-6.
19. Akyuz S, Pince S, Garibagaoglu M. Nutrient intake and dental health in school children. *J Marmara Univ Dent Fac* 1996;2:535-9.
20. Fabien V, Obry-Musset AM, Hedelin G, Cahen PM. Caries prevalence and salt fluoridation among 9-year-old schoolchildren in Strasbourg, France. *Community Dent Oral Epidemiol* 1996;24:408-11.
21. Jones S, Hussey R, Lennon MA. Dental health related behaviours in toddlers in low and high caries areas in St Helens, north west England. *Br Dent J* 1996;181:13-7.
22. Mathiesen AT, Ogaard B, Rolla G. Oral hygiene as a variable in dental caries experience in 14-year-olds exposed to fluoride. *Caries Res* 1996;30:29-33.
23. Petridou E, Athanassouli T, Panagopoulos H, Revinthi K. Sociodemographic and dietary factors in relation to dental health among Greek adolescents. *Community Dent Oral Epidemiol* 1996;24:307-11.
24. Sathanantha K. Dental caries, fluoride levels and oral hygiene practices of school children in Matebeleland South, Zimbabwe. *Community Dent Oral Epidemiol* 1996;24:21-4.
25. Taani DS. Dental health of 13-14-year-old Jordanian school children and its relationship with socio-economic status. *Int J Paediatr Dent* 1996;6:183-6.
26. Wendt LK, Hallonsten AL, Koch G, Birkhed D. Analysis of caries-related factors in infants and toddlers living in Sweden. *Acta Odontol Scand* 1996;54:131-7.

27. Bjarnason S, Care R, Berzina S, et al. Caries experience in Latvian nursery school children. *Community Dent Oral Epidemiol* 1995;23:138-41.
28. Chestnut IG, Jones PR, Jacobson AP, Schafer F, Stephen KW. Prevalence of clinically apparent recurrent caries in Scottish adolescents, and the influence of oral hygiene practices. *Caries Res* 1995;29:266-71.
29. Schou L. Social and behavioural indicators of caries experience in 5-year-old children. *Community Dent Oral Epidemiol* 1995;23:276-81.
30. Stecksen-Blicks C, Holm AK. Between-meal eating, toothbrushing frequency and dental caries in 4-year-old children in the north of Sweden. *Int J Paediatr Dent* 1995;5:67-72.
31. Weissenbach M, Chau N, Benamghar L, Lion C, Schwartz F, Vadot J. Oral health in adolescents from a small French town. *Community Dent Oral Epidemiol* 1995;23:147-54.
32. Axelsson P, Buischi YA, Barbosa MF, Karlsson R, Prado MC. The effect of a new oral hygiene training program on approximal caries in 12-15-year-old Brazilian children: results after three years. *Adv Dent Res* 1994;8:278-84.
33. Reisine S, Litt M, Tinanoff N. A biopsychosocial model to predict caries in preschool children. *Pediatr Dent* 1994;16:413-8.
34. Schroder U, Widenheim J, Peyron M, Hagg E. Prediction of caries in 1 1/2-year-old children. *Swed Dent J* 1994;18:95-104.
35. Tubert-Jeannin S, Lardon JP, Pham E, Martin JL. Factors affecting caries experience in French adolescents. *Community Dent Oral Epidemiol* 1994;22:30-5.
36. Wendt LK, Hallonsten AL, Koch G, Birkhed D. Oral hygiene in relation to caries development and immigrant status in infants and toddlers. *Scand J Dent Res* 1994;102:269-73.
37. Dominguez-Rojas V, Astasio-Arbiza P, Ortega-Molina P, Gordillo-Florencio E, Garcia-Nunez JA, Bascones-Martinez A. Analysis of several risks factors involved in dental caries through multiple logistic regression. *Int Dent J* 1993;43:149-56.
38. Marcenes WS, Sheiham A. Composite indicators of dental health: functioning teeth and the number of sound-equivalent teeth (T-Health). *Community Dent Oral Epidemiol* 1993;21:374-8.
39. Paunio P, Rautava P, Helenius H, Alanen P, Sillanpaa M. The Finnish Family Competence Study: the relationship between caries, dental health habits and general health in 3-year-old Finnish children. *Caries Res* 1993;27:154-60.
40. Reisine S, Litt M. Social and psychological theories and their use for dental practice. *Int Dent J* 1993;43:279-87.
41. Beck JD, Weintraub JA, Disney JA, et al. University of North Carolina Caries Risk Assessment Study: comparisons of high risk prediction, any risk prediction, and any risk etiologic models. *Community Dent Oral Epidemiol* 1992;20:313-21.
42. Chesters RK, Huntington E, Burchell CK, Stephen KW. Effect of oral care habits on caries in adolescents. *Caries Res* 1992;26:299-304.
43. D'Hoore W, Van Nieuwenhuysen JP. Benefits and risks of fluoride supplementation: caries prevention versus dental fluorosis. *Eur J Pediatr* 1992;151:613-6.
44. Eronat N, Eden E. A comparative study of some influencing factors of rampant or nursing caries in preschool children. *J Clin Pediatr Dent* 1992;16:275-9.
45. Honkala E, Kolmakow S, Nyyssönen V, Kuzmina E, Vasina S. Background factors affecting dental caries in permanent teeth of Finnish and Soviet children. *ASDC J Dent Child* 1992;59:28-33.
46. Petersen PE. Oral health behavior of 6-year-old Danish children. *Acta Odontol Scand* 1992;50:57-64.
47. Vignarajah S, Williams GA. Prevalence of dental caries and enamel defects in the primary dentition of Antigua pre-school children aged 3-4 years including an assessment of their habits. *Community Dent Health* 1992;9:349-60.
48. Aaltonen AS. The frequency of mother-infant salivary close contacts and maternal caries activity affect caries occurrence in 4-year-old children. *Proc Finn Dent Soc* 1991;87:373-82.
49. Bjertness E. The importance of oral hygiene on variation in dental caries in adults. *Acta Odontol Scand* 1991;49:97-102.
50. Moorhead JE, Conti AJ, Marks RG, Cancro LPI. The effect of supervised brushing on caries inhibition in school age children. *J Clin Dent* 1991;2:97-102.
51. Akizawa Y, Sakurai Y, Hara N, et al. An epidemiological study of the influence of sweets intake and toothbrushing on dental caries among children in Japan. *Asia Pac J Public Health* 1990;4:242-50.
52. Dummer PM, Oliver SJ, Hicks R, Kindon A, Addy M, Shaw W. Factors influencing the initiation of carious lesions in specific tooth surfaces over a 4-year period in children between the ages of 11-12 years and 15-16

- years. *J Dent* 1990;18:190-7.
53. Dummer PM, Oliver SJ, Hicks R, et al. Factors influencing the caries experience of a group of children at the ages of 11-12 and 15-16 years: results from an epidemiological survey. *J Dent* 1990;18:37-48.
 54. Ainamo J, Parvianinen K. Influence of increased toothbrushing frequency on dental health in low, optimal, and high fluoride areas in Finland. *Community Dent Oral Epidemiol* 1989;17:296-9.
 55. Normark S, Mosha HJ. Relationship between habits and dental health among rural Tanzanian children. *Community Dent Oral Epidemiol* 1989;17:317-21.
 56. Stecksen-Blicks C, Holm AK, Mayanagi H. Dental caries in Swedish 4-year-old children. Changes between 1967 and 1987. *Swed Dent J* 1989;13:39-44.
 57. Ekman A, Holm AK. Dental health and dental health behaviour in 8-year-old Finnish immigrant children in the north of Sweden. *Swed Dent J* 1988;12:233-40.
 58. Grytten J, Rossow I, Holst D, Steele L. Longitudinal study of dental health behaviors and other caries predictors in early childhood. *Community Dent Oral Epidemiol* 1988;16:356-9.
 59. Warnakulasuriya KA. Social factors and oral hygiene habits among caries free children in a low fluoride area in Sri Lanka. *Community Dent Oral Epidemiol* 1988;16:212-4.
 60. Milen A. Role of social class in caries occurrence in primary teeth. *Int J Epidemiol* 1987;16:252-6.
 61. Barbers BC, Rojas AC. Effects of combined toothbrushing and sweet diet limitation in dental caries prevention in a school setting after two-and-a-half years. *J Philipp Dent Assoc* 1986;36:3-9.
 62. Stecksen-Blicks C, Gustafsson L. Impact of oral hygiene and use of fluorides on caries increment in children during one year. *Community Dent Oral Epidemiol* 1986;14:185-9.
 63. Stecksen-Blicks C, Arvidsson S, Holm AK. Dental health, dental care, and dietary habits in children in different parts of Sweden. *Acta Odontol Scand* 1985;43:59-67.
 64. Honkala E, Nyyssonen V, Kolmakow S, Lammi S. Factors predicting caries risk in children. *Scand J Dent Res* 1984;92:134-40.
 65. Persson LA, Stecksen-Blicks C, Holm AK. Nutrition and health in childhood: causal and quantitative interpretations of dental caries. *Community Dent Oral Epidemiol* 1984;12:390-7.
 66. Alakija W. Dental caries in primary school children in Benin City, Nigeria. *J Trop Pediatr* 1983;29:317-9.
 67. Silver DH. Improvements in the dental health of 3-year-old Hertfordshire children after 8 years. The relationship to social class. *Br Dent J* 1982;153:179-83.
 68. Ekman A, Holm AK, Schelin B, Gustafsson L. Dental health and parental attitudes in Finnish immigrant preschoolchildren in the north of Sweden. *Community Dent Oral Epidemiol* 1981;9:224-9.
 69. Hausen H, Heinonen OP, Paunio I. Modification of occurrence of caries in children by toothbrushing and sugar exposure in fluoridated and nonfluoridated areas. *Community Dent Oral Epidemiol* 1981;9:103-7.
 70. Ainamo J, Parviainen K. Occurrence of plaque, gingivitis and caries as related to self reported frequency of toothbrushing in fluoride areas in Finland. *Community Dent Oral Epidemiol* 1979;7:142-6.
 71. Leske GS, Ripa LW, Barenie JT. Comparisons of caries prevalence of children with different daily toothbrushing frequencies. *Community Dent Oral Epidemiol* 1976;4:102-5.
 72. Tucker GJ, Andlaw RJ, Burchell CK. The relationship between oral hygiene and dental caries incidence in 11-year-old children. A 3-year study. *Br Dent J* 1976;141:75-9.

Reference List – Table 10

1. Boehmer U, Kressin NR, Spiro A 3rd. Preventive dental behaviors and their association with oral health status in older white men. *J Dent Res* 1999;78:869-77.
2. Vehkalahti MM, Vrbic VL, Peric LM, Matvoz ES. Oral hygiene and root caries occurrence in Slovenian adults. *Int Dent J* 1997;47:26-31.
3. Budtz-Jorgensen E, Mojon P, Rentsch A, Roehrich N, von der Muehl D, Baehni P. Carie prevalence and associated predisposing conditions in recently hospitalized elderly persons. *Acta Odontol Scand* 1996;54:251-6.
4. Williams SA, Summers RM, Ahmed IA, Prendergast MJ. Caries experience, tooth loss and oral health-related behaviours among Bangladeshi women resident in West Yorkshire, UK. *Community Dent Health* 1996;13:150-6.
5. Hede B. Oral health in Danish hospitalized psychiatric patients. *Community Dent Oral Epidemiol* 1995;23:44-8.
6. Wisloff TF, Vassend O, Asmyhr O. Dental anxiety, utilisation of dental services, and DMFS status in Norwegian military recruits. *Community Dent Health* 1995;12:100-3.
7. Marcenes WS, Sheiham A. Composite indicators of dental health: functioning teeth and the number of sound-equivalent teeth (T-Health). *Community Dent Oral Epidemiol* 1993;21:374-8.
8. D'Hoore W, Van Nieuwenhuysen JP. Benefits and risks of fluoride supplementation: caries prevention versus dental fluorosis. *Eur J Pediatr* 1992;151:613-6.
9. Marcenes WS, Sheiham A. The relationship between work stress and oral health status. *Soc Sci Med* 1992;35:1511-1520.
10. Ravald N, Birkhed D. Prediction of root caries in periodontally treated patients maintained with different fluoride programmes. *Caries Res* 1992;26:450-8.
11. Bjertness E. The importance of oral hygiene on variation in dental caries in adults. *Acta Odontol Scand* 1991;49:97-102.
12. Tuominen R, Ranta K, Paunio I. Wearing of removable partial dentures in relation to dental caries. *J Oral Rehabi* 1988;15:515-20.
13. Vehkalahti MM, Paunio IK. Occurance of root carries in relation to dental health behavior. *J Dent Res* 1988;67:911-4.
14. Rajala M, Selkainaho K, Paunio I. Relationship between reported toothbrushing and dental caries in adults. *Community Dent Oral Epidemiol* 1980;8:128-31.

Reference List – Table 11

1. Blen M, Narendran S, Jones K. Dental caries in children under age three attending a university clinic. *Pediatr Dent* 1999;21:261-4.
2. Lin YT, Tsai CL. Caries prevalence and bottle-feeding practices in 2-year-old children with cleft lip, cleft palate, or both in Taiwan. *Cleft Palate Craniofac J* 1999;36:522-6.
3. Oulis CJ, Berdouses ED, Vadiakas G, Lygidakis NA. Feeding practices of Greek children with and without nursing caries. *Pediatr Dent* 1999;21:409-16.
4. Ramos-Gomez FJ, Tomar SL, Ellison J, Artiga N, Sintes J, Vicuna G. Assessment of early childhood caries and dietary habits in a population of migrant Hispanic children in Stockton, California. *ASDC J Dent Child* 1999;66:395-403, 366.
5. Ye W, Feng XP, Liu YL. Epidemiological study of the risk factors of rampant caries in Shanghai children. *Chinese J Dent Res* 1999;2:58-62.
6. al Ghanim NA, Adenubi JO, Wyne AA, Khan NB. Caries prediction model in pre-school children in Riyadh, Saudi Arabia. *Int J Paediatr Dent* 1998;8:115-22.
7. Lopez Del Valle L, Velazquez-Quintana Y, Weinstein P, Domoto P, Leroux B. Early childhood caries and risk factors in rural Puerto Rican children. *ASDC J Dent Child* 1998;65:132-5.
8. Mattos-Graner RO, Zelante F, Line RC, Mayer MP. Association between caries prevalence and clinical, microbiological and dietary variables in 1.0 to 2.5-year-old children. *Caries Res* 1998;32:319-23.
9. Ollila P, Niemela M, Uhari M, Larmas M. Prolonged pacifier-sucking and use of a nursing bottle at night: possible risk factors for dental caries in children. *Acta Odontol Scand* 1998;56:233-7.
10. Weerheijm KL, Uyttendaele-Speybroeck BF, Euwe HC, Groen HJ. Prolonged demand breast-feeding and nursing caries. *Caries Res* 1998;32:46-50.
11. Febres C, Echeverri EA, Keene HJ. Parental awareness, habits, and social factors and their relationship to baby bottle tooth decay. *Pediatr Dent* 1997;19:22-7.
12. Harrison R, Wong T, Ewan C, Contreras B, Phung Y. Feeding practices and dental caries in an urban Canadian population of Vietnamese preschool children. *ASDC J Dent Child* 1997;64:112-7.
13. Ayhan H. Influencing factors of nursing caries. *J Clin Pediatr Dent* 1996;20:313-6.
14. Holt RD, Winter GB, Downer MC, Bellis WJ, Hay IS. Caries in pre-school children in Camden 1993/94. *Br Dent J* 1996;181:405-10.
15. Moynihan PJ, Holt RD. The national diet and nutrition survey of 1.5 to 4.5 year old children: summary of the findings of the dental survey. *Br Dent J* 1996;181:328-32.
16. Shantinath SD, Breiger D, Williams BJ, Hasazi JE. The relationship of sleep problems and sleep-associated feeding to nursing caries. *Pediatr Dent* 1996;18:375-8.
17. van Everdingen T, Eijkman MA, Hoogstraten J. Parents and nursing-bottle caries. *ASDC J Dent Child* 1996;63:271-4.
18. Weinstein P, Smith WF, Fraser-Lee N, Shimono T, Tsubouchi J. Epidemiologic study of 19-month-old Edmonton, Alberta children: caries rates and risk factors. *ASDC J Dent Child* 1996;63:426-33.
19. al-Dashti AA, Williams SA, Curzon ME. Breast feeding, bottle feeding and dental caries in Kuwait, a country with low-fluoride levels in the water supply. *Community Dent Health* 1995;12:42-7.
20. Hallonsten AL, Wendt LK, Mejare I, et al. Dental caries and prolonged breast-feeding in 18-month-old Swedish children. *Int J Paediatr Dent* 1995;5:149-55.
21. Tsubouchi J, Tsubouchi M, Maynard RJ, Domoto PK, Weinstein P. A study of dental caries and risk factors among Native American infants. *ASDC J Dent Child* 1995;62:283-7.
22. Wendt LK, Birkhed D. Dietary habits related to caries development and immigrant status in infants and toddlers living in Sweden. *Acta Odontol Scand* 1995;53:339-44.
23. Aaltonen, A. S. and Tenovu, J. Association between mother-infant salivary contacts and caries resistance in children: a cohort study. *Pediatr Dent* 1994;16:110-6.
24. Matee M, van't Hof M, Maselle S, Mikx F, van Palenstein Helderman W. Nursing caries, linear hypoplasia, and nursing and weaning habits in Tanzanian infants. *Community Dent Oral Epidemiol* 1994;22:289-93.
25. Reisine S, Litt M, Tinanoff N. A biopsychosocial model to predict caries in preschool children. *Pediatr Dent* 1994;16:413-8.
26. Roberts GJ, Cleaton-Jones PE, Fatti LP, et al. Patterns of breast and bottle feeding and their association with dental caries in 1- to 4-year-old South African children. 2. A case control study of children with nursing caries. *Community Dent Health* 1994;11:38-41.
27. Todd RV, Durward CS, Chot C, So PK, Im P. The dental caries experience, oral hygiene and dietary practices

- of preschool children of factory workers in Phnom Penh, Cambodia. *Int J Paediatr Dent* 1994;4:173-8.
28. Tsubouchi J, Higashi T, Shimono T, Domoto PK, Weinstein P. A study of baby bottle tooth decay and risk factors for 18-month old infants in rural Japan. *ASDC J Dent Child* 1994;61:293-8.
 29. Juambeltz JC, Kula K, Perman J. Nursing caries and lactose intolerance. *ASDC J Dent Child* 1993;60:377-84.
 30. O'Sullivan DM, Tinanoff N. Social and biological factors contributing to caries of the maxillary anterior teeth. *Pediatr Dent* 1993;15:41-4.
 31. Reisine S, Litt M. Social and psychological theories and their use for dental practice. *Int Dent J* 1993;43:279-87.
 32. Roberts GJ, Cleaton-Jones PE, Fatti LP, et al. Patterns of breast and bottle feeding and their association with dental caries in 1- to 4-year-old South African children. 1. Dental caries prevalence and experience. *Community Dent Health* 1993;10:405-13.
 33. Serwint JR, Mungo R, Negrete VF, Duggan AK, Korsch BM. Child-rearing practices and nursing caries. *Pediatrics* 1993;92:233-7.
 34. Vignarajah S, Williams GA. Prevalence of dental caries and enamel defects in the primary dentition of Antiguan pre-school children aged 3-4 years including an assessment of their habits. *Community Dent Health* 1992;9:349-60.
 35. Aaltonen AS. The frequency of mother-infant salivary close contacts and maternal caries activity affect caries occurrence in 4-year-old children. *Proc Finn Dent Soc* 1991;87:373-82.
 36. Alaluusua S, Myllarniemi S, Kallio M, Salmenpera L, Tainio VM. Prevalence of caries and salivary levels of mutans streptococci in 5-year-old children in relation to duration of feeding. *Scand J Dent Res* 1990;98:193-6.
 37. Williams SA, Hargreaves JA. An inquiry into the effects of health related behaviour on dental health among young Asian children resident in a fluoridated city in Canada. *Community Dent Health* 1990;7:413-20.
 38. Babeely K, Kaste LM, Husain J, et al. Severity of nursing-bottle syndrome and feeding patterns in Kuwait. *Community Dent Oral Epidemiol* 1989;17:237-9.
 39. Tee JH. Some characteristics of 5-year-old children with a dmf of six or Gloucestershire, England. *Community Dent Health* 1987;4:121-8.
 40. Salako NO. Infant feeding profile and dental caries status of urban Nigerian children. *Acta Odontol Pediat* 1985;6:13-7.
 41. Holt RD, Joels D, Winter GB. Caries in pre-school children. The Camden study. *Br Dent J* 1982;153:107-9.
 42. Walton JL, Messer LB. Dental caries and fluorosis in breast-fed and bottle-fed children. *Caries Res* 1981;15:124-37.